



CHECKLIST FACADE PV FOR TRAPEZOIDAL AND CORRUGATED SHEET-METAL

Please fill in this form completely and send it by e-mail, including the required attachments, to the region responsible for you:

region.west@ch.krannich-solar.com (PC 1-22,31,32,39)
region.mitte@ch.krannich-solar.com (PC 30, 33-38, 40-49, 50-63)
region.sued@ch.krannich-solar.com (PC 64-69)
region.ost@ch.krannich-solar.com (PC 7, 8, 9)

Customer information

CUSTOMER NAME

CONTACT PERSON

COMPANY

TELEPHONE

STREET + NO

MOBILE

ZIP / CITY / COUNTRY

E-MAIL

Location information (PV system)

STREET + NO

PROJECT TITLE

ZIP / CITY

COUNTRY

Building data

TYPE:

NEW BUILDING

RETROFIT

EXISTING BUILDING

Year

Year

----- m
HEIGHT

----- m
LENGTH

----- m
WIDTH

----- m²
PV FACADE AREA

----- m
HEIGHT ABOVE SEA LEVEL

Anchorage ground / facade cladding

Run direction beading only possible from bottom to top.



TRAPEZOIDAL SHEET METAL




CORRUGATED SHEET METAL

Topographic situation

CATEGORY 0
LAKESIDE OR COASTAL AREA




CATEGORY 1
FLAT FIELD WITH AND WITHOUT
FEW OBSTACLES



CATEGORY 2
FIELD WITH HEDGES



CATEGORY 3
URBAN ZONE INDUSTRIAL AREA



CATEGORY 4
URBAN AREA



Module details

MODULE FIXATION Insertion rail Module clamp (only landscape module assembly permitted!)

MANUFACTURER

MODULE TYPE

----- / ----- / ----- mm
DIMENSIONS


----- Wp ----- kg
POWER WEIGHT

----- pc.
TOTAL NUMBER


PRODUCT DATA SHEET AVAILABLE

MODULE ORIENTATION

PORTRAIT



LANDSCAPE



Details facade cladding



TRAPEZOIDAL
SHEET METAL

MANUFACTURER

TYPE

MATERIAL:

ALUMINIUM

STEEL

OTHER

QUALITY

mm
A TOTAL HEIGHT INCL. (F) PROFILE HEIGHT


mm
B THICKNESS

mm
C BEADING / CREST DISTANCE

mm
D UPPER FLANGE WIDTH

mm
E LOWER FLANGE WIDTH

mm
F PROFILE HEIGHT



CORRUGATED
SHEET METAL

MANUFACTURER

TYPE

MATERIAL:

ALUMINIUM

STEEL

OTHER

QUALITY

mm
A TOTAL HEIGHT INCL. (F) PROFILE HEIGHT

mm
B BEADING / CREST DISTANCE

mm
C THICKNESS

